



Design remote controls



1 PUSHBUTTON

Model: TLC1TP

Item number: 5454430

2 PUSHBUTTONS

Model: TLC2TP

Item number: 5454431

4 PUSHBUTTONS

Model: TLC4TP

Item number: 5454432

8 PUSHBUTTONS

Model: TLC8CP

Item number: 5454434

THE ADVANTAGES

Compatible with all Yokis Radio receivers

Every pushbutton can control up to 4 receivers in direct mode, or an unlimited number of receivers in Radio Bus mode

The LED indicates successful command transmission

Make the most of the broad functionality of Yokis modules

Can be used for centralisations, direct commands and scenarios activations.

Can be used for direct commands (single or multiple), centralisation or scenario activation. It can be wall-mounted, using the accessory shell support not included (ref. 5454080 – not included). 2-, 4- and 8-pushbutton versions are provided with rubber protective shell (ref. 5454087 – not included).

Technical features

Battery

CR2032, lithium

Battery duration

> 7 years The battery can be replaced by opening the case with a flat-head screwdriver. Data will be retained

Available pushbuttons

2 (left and right pushbuttons)

Number of receivers/pushbutton

4 in direct mode; unlimited in Radio Bus mode

Two-way transmission

The transmitter LED will only turn on if the radio transmission was completed successfully

Range

250m in free field without obstacles. Range is reduced by metal items, walls or partitions.

Operating temperature

- 10°C to +50°C

Relative humidity

maximum 80%